

Lizzie I, la computadora de La Voz

Nicolás Wolovick, FaMAF-UNC
Lucas Viano, LVI

SAHTI@51JAIIO



Agustín

@m4rgin4l


...
@nwolovick mira lo que encontré




3:32 PM · Dec 10, 2018 · Twitter for Android

1 Quote Tweet 2 Likes








1* Zilog Z80A@4 MHz
1* EPROM 2716 2 KiB BIOS
4*8* µPD416C-3 (16Kb)
total 64 KiB DRAM.
2* Intel 8251 serie
1* Intel 8253 timer
1* Intel 8279 kbd
2* Intel 8255 parallel (dev)

1* CPU Z80A
1* EPROM 2716 2 KiB FDC
4* 2114 2 KiB SRAM
1* Fujitsu MB8876A FDC (compat WD1791)
2* FDD 5.25" COPAL Fujitsu M2551A DS/DD

1* Intel 8275
1* EPROM 2716 2 KiB
1* CRT 9" BW
1* charbuf 80x25, 256 chars.



ITC
INTERTEC
DATA
SYSTEMS.

SUPERBRAIN™



USERS MANUAL

\$50.00





El monitor





2021/9/30 17:13

```
$ strings boot-lizzie\ i.bin  
&LIZZIE I - Inserte disco de sistema
```






ComputerAutomation
Naked Mini Division

18651 Von Karman / Irvine, California 92664 / Telephone (714) 833-8830 TWX 910-595-1767

NAKED MINI



The unique Alpha/LSI hexadecimal keyboard makes data entry and program debugging fast and convenient.

THE LSI FAMILY


A family of low-cost OEM computers with a range to handle almost any job, big or small. With a low price tag that makes it really practical. And with complete compatibility so you can move in any direction as your needs change, quickly and easily.

THE NAKED MINI SERIES


The mid-range of the LSI family, the NAKED MINI® series is truly the computer that's a component. To use it, just plug it into your product. The full-scale central processor, with full instruction set, DMA, and options is on a single card, 15" x 17". Memory up to 16K words is on a similar card. They're powered by your existing system supply.

One-On-One

Imagine all the products you can bury the NAKED MINI in. All your products that can benefit from a computer having powerful arithmetic capabilities, full byte and 16-bit word processing, and extremely flexible I/O. All your products that will now be more competitive, more flexible, and immune to obsolescence.



Shown is a NAKED MINI LSI-2 configuration, with processor board on top and memory board below.



I/O Distributor pictured with a variety of standard peripherals and user-designed I/O devices, including special consoles, instruments, etc.





Compugraphic ACM-9000

"La de la izquierda. Pero es un modelo bastante más chica que la de La Voz",
Luis Sentana



Bell Laboratories

Cover Sheet for Technical Memorandum

The information contained herein is for the use of employees of Bell Laboratories and is not for publication. (See GEI 13.9-3)

Title- Experience with the Mergenthaler Linotron 202
Phototypesetter,
or, How We Spent Our Summer Vacation

Date- January 6, 1980
TM- 80-1270-1,
80-1271-x,
80-1273-x

Other Keywords- reverse engineering

Author	Location	Extension	Charging Case- 39199
Joe Condon	MH 2C-525	6694	Filing Case- 39199-11
Brian Kernighan	MH 2C-518	6021	
Ken Thompson	MH 2C-423	2394	

ABSTRACT

In the summer of 1979, Center 127 purchased a Mergenthaler Linotron 202, a CRT-based digital phototypesetter. This paper discusses our experience with the device, some of what we have learned about how it operates, and the hardware and software we have developed to permit users to take advantage of its capabilities.

Ejemplares



Quienes

- * Luis Santana
- * Juan Carlos Gorbata Cammisa
- * Juan Manuel Álvarez Mendez
- * Carlos Almada
- * Jorge Apestegui



 Tubos Trans Electric



Tallercito de tubos
de rayos catódicos de
Barrio Providencia

ToDo List:

- * Diskettes EdiTex, código fuente y objeto.
- * Diskettes Receptorías, idem.
- * Código fuente BIOS.
- * Prender Lizzie I, conseguir cable M16 para monitor.
- * Hacer emulador.
- * Conseguir más fotos de época.
- * Averiguar el modelo de Compugraphic.





Jorge Baronetti

